

# Embout à chape à sertissage manuel rapide "INOX" Ø pour câble 8mm



## Références du produit

Reference: LEV26117

EAN13: -


UPC: -

## Description du produit

## Caractéristiques

Ø-câble-chaîne-touret-(mm): 8

## Images





| <i>pour<br/>câble</i> | <i>C</i>    | <i>D</i>    | <i>P</i>    | <i>L</i>    | <i>L1</i>   | <i>KW</i>   | <i>KW1</i>  | <i>poids<br/>le %</i> |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------------|
| <i>(mm)</i>           | <i>(mm)</i> | <i>(mm)</i> | <i>(mm)</i> | <i>(mm)</i> | <i>(mm)</i> | <i>(mm)</i> | <i>(mm)</i> | <i>(kg)</i>           |
| 3                     | 6           | 6           | 8           | 63          | 55          | 14          | 12          | 4,00                  |
| 4                     | 8           | 8           | 8           | 73          | 62          | 19          | 14          | 8,00                  |
| 5                     | 10          | 10          | 10          | 83          | 72          | 22          | 16          | 12,00                 |
| 6                     | 12          | 12          | 12          | 95          | 82          | 27          | 19          | 21,00                 |
| 8                     | 14          | 14          | 14          | 118         | 103         | 30          | 24          | 37,60                 |
| 10                    | 16          | 16          | 16          | 135         | 117         | 36          | 27          | 58,60                 |
| 12                    | 16          | 19          | 16          | 162         | 142         | 42          | 32          | 98,50                 |